


Case detection (2000) and success rates (1999) in RNTCP areas



ANNUAL SUMMARY
Performance of RNTCP Case Finding(2000),
Smear Conversion(2000, first 3 quarters) and Treatment Outcomes(1999)

State	Pop. Covered (in lakhs) by 31.12.00	% of state covered by RNTCP by 31.12.00	Total cases treated	New S+ve cases treated	Annual detection rate New S+ve patients	Annual detection rate Total cases treated	Ratio	3 Month Conversion rate New S+ve	Success rate of new S+ve
Andhra Pradesh	58	8%	6444	2632	45	111	0.8	87%	83%
Assam	12	5%	1440	649	54	120	0.5	83%	78%
Bihar	110	15%	4698	1567	20	61	1.0	94%	82%
Delhi	118	100%	23907	7979	68	203	0.7	85%	80%
Gujarat	380	81%	34849	14082	51	139	0.6	84%	71%
Haryana	48	24%	4161	1589			0.8	80%	
Himachal Pradesh	43	72%	6098	2319	68	190	0.6	92%	89%
Karnataka	141	28%	6035	2661	28	66	0.6	87%	62%
Kerala	319	100%	15652	6699	27	62	0.6	88%	88%
Madhya Pradesh	40	8%	5216	1988	54	142	1.0	85%	77%
Maharashtra	282	32%	26575	8677	46	140	1.2	86%	81%
Manipur	10	50%	1759	614	61	176	1.2	93%	85%
Orissa	69	20%	9632	4385	71	158	0.7	91%	89%
Rajasthan	497	96%	39919	16984	89	220	0.7	89%	85%
Tamil Nadu	225	37%	14985	5644	46	121	0.9	80%	81%
Uttar Pradesh	189	13%	14756	6093	64	154	0.8	86%	93%
West Bengal	330	43%	29009	10529	36	99	1.1	87%	84%
Total	2871	30%	245135	95091	47*	126*	0.8	87%	82%

* Rate calculations include only districts implementing for all of 2000

ANNUAL SUMMARY
Performance of RNTCP Case Finding (2000),
Smear Conversion (2000, first 3 quarters), and Treatment Outcomes (1999)

State	District	Pop. Covered (in lakhs)	Total cases treated	New S+ve cases treated	Annual detection rate New S+ve patients	Annual detection rate Total cases treated	Ratio	3 Month Conversion rate of New S+ve	Success rate of New S+ve
Andhra Pradesh	Hyderabad	35	4020	1479	42	115	0.8	89%	84%
Andhra Pradesh	Medak	23	2424	1153	51	107	0.7	85%	80%
Assam	Dibrugarh	12	1440	649	54	120	0.5	83%	78%
Bihar	Palamau	16	123	58			0.6	83%	
Bihar	Patna	44	2195	653	15	50	1.2	93%	75%
Bihar	Ranchi	27	454	159			1.1	93%	
Bihar	Vaishali	24	1926	697	29	81	0.8	96%	90%
Delhi	Gulabi_Bagh	10	1099	430	43	110	0.4	87%	86%
Delhi	Jhandewalan	4	869	239	60	217	1.1	84%	76%
Delhi	Kingsway	7	1448	540	77	207	0.4	90%	81%
Delhi	Karawal_Nagar	11	3211	951	86	292	0.8	87%	87%
Delhi	LRS	10	1938	652	65	194	0.6	82%	85%
Delhi	Moti_Nagar	22	5865	1800	82	267	0.8	86%	78%
Delhi	NDTC	4	700	240	60	175	0.5	93%	83%
Delhi	NDMC	4	380	127	32	95	0.6	93%	84%
Delhi	Narela	3	650	214	71	217	1.1	89%	86%
Delhi	Nehru_Nagar	14	2183	755	54	156	0.8	87%	81%
Delhi	Patparganj	7	1427	508	73	204	0.6	80%	67%
Delhi	RK_Mission	7	1347	496	71	192	0.6	83%	81%
Delhi	Shahadra	10	2006	700	70	201	0.7	83%	76%
Delhi	SPM_Marg	5	784	327	65	157	0.5	77%	76%
Gujarat	AMC	32	6719	2124	66	210	0.9	81%	59%
Gujarat	Ahmedabad	19	2151	840	44	112	0.8	93%	82%
Gujarat	Amreli	14	900	321	23	63	0.7	77%	60%
Gujarat	Anand	18	1391	637			0.3	78%	
Gujarat	Banaskantha	27	1708	647			0.7	84%	
Gujarat	Bhavnagar	25	522	256			0.6	68%	
Gujarat	Dahod	15	1335	596			0.3	88%	
Gujarat	Jamnagar	16	2321	803	50	145	0.6	85%	76%
Gujarat	Junagarh	28	1836	828			0.4	77%	
Gujarat	Mansa	15	2477	949	63	165	0.9	93%	86%
Gujarat	Mehsana	16	1897	772	48	119	0.7	92%	85%
Gujarat	Nadiad(Kheda)	20	1331	720			0.4	79%	
Gujarat	Panchmahals	20	1931	904			0.5	88%	
Gujarat	Rajkot	27	2005	759			0.6	87%	
Gujarat	Sabarkanth	19	1899	741			1.1	94%	
Gujarat	Surat_Municipal_Corp	22	506	300			0.4	81%	
Gujarat	Surat	11	619	309			0.5	80%	
Gujarat	Valsad	24	2595	1186	49	106	0.4	77%	63%
Gujarat	Vyara(Surat)	11	706	390			0.6	75%	

ANNUAL SUMMARY
Performance of RNTCP Case Finding (2000),
Smear Conversion (2000, first 3 quarters), and Treatment Outcomes (1999)

State	District	Pop. Covered (in lakhs)	Total cases treated	New S+ve cases treated	Annual detection rate New S+ve patients	Annual detection rate Total cases treated	Ratio	3 Month Conversion rate of New S+ve	Success rate of New S+ve
Himachal Pradesh	Hamirpur	4	918	353	88	230	0.7	92%	92%
Himachal Pradesh	Kangra	13	2199	803	62	169	0.7	93%	89%
Himachal Pradesh	Mandi	10	2023	667	67	202	0.7	90%	88%
Himachal Pradesh	Solan	5	254	182			0.2	96%	
Himachal Pradesh	Shimla	7	412	186			0.3	96%	
Himachal Pradesh	Sirmaur	4	292	128			0.2	83%	
Haryana	Faridabad	20	1898	604			1.4	83%	
Haryana	Gurgaon	15	1438	607			0.4	80%	
Haryana	Sonipat	13	825	378			0.5	78%	
Karnataka	Bijapur	19	358	196			0.4	67%	
Karnataka	Bagalkot	15	381	168			0.7	100%	
Karnataka	Bangalore_C	36	2458	1012	28	68	0.7	89%	60%
Karnataka	Bangalore_U	11	663	316	29	60	0.6	83%	73%
Karnataka	Bellary	19	19	11			0.7		
Karnataka	Chitradurga	15	64	46			0.2		
Karnataka	Koppal	12	26	14			0.4		
Karnataka	Raichur	15	2066	898			0.7	86%	
Kerala	Allapuzha	23	14	8			0.8		
Kerala	Ernakulum	33	1474	538			1.0	87%	
Kerala	Idukki	12	4	2			0.0		
Kerala	Kollam	26	1658	689			0.8	87%	
Kerala	Kannoor	25	1674	670	27	67	0.6	93%	93%
Kerala	Kottayam	20	1465	672	34	73	0.5	88%	88%
Kerala	Kasaragod	11	416	234			0.2	84%	
Kerala	Kozhikode	26	1110	401			1.0	86%	
Kerala	Malappuram	35	1626	667	19	46	0.8	83%	89%
Kerala	Palakkad	28	1074	543			0.4	83%	
Kerala	Pathanamthitta	12	766	353	30	64	0.4	92%	87%
Kerala	Thrissur	30	2108	899	30	70	0.6	89%	87%
Kerala	Thiruvananthapuram	32	1775	803	25	55	0.5	90%	85%
Kerala	Wayanad	7	488	220	31	70	0.5	87%	90%
Maharashtra	Mumbai	111	16404	4594	41	148	1.5	83%	75%
Maharashtra	Kolhapur	31	19	6			1.3		
Maharashtra	Nasik	38	47	21			0.7		
Maharashtra	Pimpri_Chinchwad	7	1296	397	57	185	0.9	92%	91%
Maharashtra	Pune	16	2512	1101	69	157	0.5	90%	89%
Maharashtra	Pune_Rural	34	3354	1453	43	99	0.9	93%	87%
Maharashtra	Raigad	21	2934	1105	53	142	1.0	89%	86%
Maharashtra	Satara	25	9	0					
Manipur	Imphal	10	1759	614	61	176	1.2	93%	85%

ANNUAL SUMMARY
Performance of RNTCP Case Finding (2000),
Smear Conversion (2000, first 3 quarters), and Treatment Outcomes (1999)


State	District	Pop. Covered (in lakhs)	Total cases treated	New S+ve cases treated	Annual detection rate New S+ve patients	Annual detection rate Total cases treated	Ratio	3 Month Conversion rate of New S+ve	Success rate of New S+ve
Madhya Pradesh	Bhopal	19	2334	922	50	126	0.9	85%	77%
Madhya Pradesh	Rajgarh	10	950	366			1.0	85%	
Madhya Pradesh	Vidisha	11	1932	700	63	173	1.1	86%	77%
Orissa	Deogarh	2	222	83			0.9	76%	
Orissa	Jharsuguda	4	557	261			0.5	83%	
Orissa	Kheonjhar	15	1837	863	58	122	0.7	90%	86%
Orissa	Mayurbhanj	21	3313	1636	77	156	0.6	93%	88%
Orissa	Sambalpur	11	646	357			0.5	84%	
Orissa	Sundargarh	16	3057	1185	76	196	0.9	95%	92%
Rajasthan	Ajmer	20	4232	2010	99	208	0.6	85%	66%
Rajasthan	Alwar	28	3145	1492			0.6	88%	
Rajasthan	Bikaner	16	81	35			0.7		
Rajasthan	Bhilwara	19	2970	1229			0.7	94%	
Rajasthan	Bundi	9	359	185			0.6	100%	
Rajasthan	Baran	10	345	123			0.8	86%	
Rajasthan	Bharatpur	20	1853	755			0.8	89%	
Rajasthan	Banswara	15	29	15			0.0		
Rajasthan	Churu	19	639	282			0.4	75%	
Rajasthan	Chittorgarh	18	111	37			0.4		
Rajasthan	Dungarpur	12	84	50			0.0		
Rajasthan	Dhaulpur	9	89	35			0.4		
Rajasthan	Daussa	10	2046	818	82	206	0.7	92%	89%
Rajasthan	Ganganagar	16	116	31			1.7		
Rajasthan	Hanumangarh	15	107	50			0.3		
Rajasthan	Jodhpur	26	1775	688			1.0	84%	
Rajasthan	Jhunjhunun	2	748	359			0.4	84%	
Rajasthan	Jalor	15	62	27			0.5		
Rajasthan	Jhalawar	12	43	18			0.3		
Rajasthan	Jaipur	38	8818	3272	85	230	0.8	91%	86%
Rajasthan	Jaisalmer	4	30	9			0.7		
Rajasthan	Karauli	12	492	213			0.3	100%	
Rajasthan	Kota	15	610	179			1.4	88%	
Rajasthan	Nagaur	27	2777	1205			0.7	89%	
Rajasthan	Pali	20	1610	724			0.8	90%	
Rajasthan	Raj_Samand	10	398	187			0.4	100%	
Rajasthan	Sikar	23	2200	1002			0.6	91%	
Rajasthan	Sawai_Madhopur	11	1492	647			0.6	91%	
Rajasthan	Sirohi	8	26	18			0.2		
Rajasthan	Tonk	12	1772	924			0.5	92%	
Rajasthan	Udaipur	27	860	365			0.4	96%	

ANNUAL SUMMARY
Performance of RNTCP Case Finding (2000),
Smear Conversion (2000, first 3 quarters), and Treatment Outcomes (1999)


State	District	Pop. Covered (in lakhs)	Total cases treated	New S+ve cases treated	Annual detection rate New S+ve patients	Annual detection rate Total cases treated	Ratio	3 Month Conversion rate of New S+ve	Success rate of New S+ve
Tamil Nadu	Chennai	45	4166	1713	38	93	0.8	85%	75%
Tamil Nadu	Cuddalore	24	3949	1328	56	165	0.9	91%	88%
Tamil Nadu	Dharmapuri	28	2131	651			1.5	53%	
Tamil Nadu	Namakkal	15	862	356			0.8	88%	
Tamil Nadu	Salem	30	694	349			0.2	93%	
Tamil Nadu	Tiruchirapalli	24	641	329			0.5	70%	
Tamil Nadu	Thanjavur	22	1556	529			1.1	52%	
Tamil Nadu	Villupuram	31	12	1			3.0		
Tamil Nadu	Model DOTS	6	974	388	65	162	1.0	80%	71%
Uttar Pradesh	Barabanki	23	3117	1356	59	136	0.8	88%	92%
Uttar Pradesh	Bcm_Hospital_Sitapur	0.5	146	44			0.5	83%	
Uttar Pradesh	Bagpat	12	453	173			1.0	82%	
Uttar Pradesh	Gautam_Budhnagar	10	462	171			0.9	68%	
Uttar Pradesh	Ghaziabad	35	1565	649			0.7	78%	
Uttar Pradesh	Lucknow	27	4561	1850	69	169	0.7	89%	93%
Uttar Pradesh	Meerut	31	1460	546			1.0	93%	
Uttar Pradesh	Rai_Bareilly	24	1903	825			0.9	82%	
Uttar Pradesh	Unnao	26	1089	479			0.8	85%	
West Bengal	Bankura	31	272	148			0.5		
West Bengal	Calcutta	50	4371	1716	34	87	0.6	87%	84%
West Bengal	Hoogly	47	5881	2176	46	124	1.1	90%	89%
West Bengal	Howrah	42	3162	1047	25	54	1.3	76%	75%
West Bengal	Jalpaiguri	32	1342	682			0.4	87%	
West Bengal	Murshidabad	52	6376	2417	46	123	1.2	87%	89%
West Bengal	Malda	30	3905	1080	36	130	1.7	90%	73%
West Bengal	Nadia	45	3700	1263	28	82	1.3	84%	81%
TOTAL		2871	245135	95091	47*	126*	0.8	87%	82%

* Rate calculations include only districts implementing for all of 2000

Ratio of Sputum Negative to Sputum Positive Patients All quarters 2000




Sputum conversion of New Sputum Positive Patients at 3 months First three quarters of 2000




Cure of New Sputum Positive Patients

All quarters of 1999



**Districts with high and low sputum conversion of
New sputum positive patients at 3 months, all quarters of 2000
(all other district had conversion rates of 80-90%)**



**Districts with high and low cure of New sputum positive patients,
Fourth quarter of 1999 (all other district had cure rates of 80-85 %)**

